



# Methods of Inspection Non-Destructive Testing To supplement visual inspection To define the extent of faults Technical Standards Branch Class A Bridge Inspection Course Government

Non Destructive Test Methods

Dye Penetrant Inspection

Surface requires mechanical cleaning
Low viscosity, high capillary fluid containing red dye is sprayed and allowed to penetrate the cracks and surface defects
Excess fluid is wiped from the surface after a penetration time
Surface sprayed with a developer
Cracks and faults will be apparent by drawn red dye on a surrounding white background

Technical Standards Branch Class A Bridge Inspection Course

Government

Surface Standards Branch Class A Bridge Inspection Course

# **Non-Destructive Test Methods**

### Dye Penetrant Inspection

- Advantages: Low cost, requires minimal skills, portable, not time consuming, can identify extent of surface cracks
- Disadvantages: Limited to surface defects

Alberta

Technical Standards Branch Class A Bridge Inspection Course



**Advanced Inspection Techniques** 

# **Non-Destructive Test Methods**

### Magnetic Particle Inspection

- Yoke is used to produce a magnetic field in the steel
- Fine iron powder is sprayed on the surface
- Field is distorted by surface or near surface discontinuities causing concentrations of magnetic lines
- Iron powder is drawn to these lines



Technical Standards Branch Class A Bridge Inspection Course



**Advanced Inspection Techniques** 

# **Non-Destructive Test Methods**

## Magnetic Particle Inspection

- Advantages: portable, requires minimal skills and can define tight cracks
- Disadvantages: limited to the inspection of cracks and surface defects near the surface. Depth of cracks cannot be determined and element may become magnetized.



Technical Standards Branch Class A Bridge Inspection Course



Advanced Inspection Techniques

# Non-Destructive Test Methods

## **Hardness Testing**

- Used to determine if mechanical properties have changed.
   System can be used for determining degradation after fire damage.
- Telebrineller system principle is comparing hardness of a known test bar to the bridge element hardness
- Equipment: Anvil, steel impression bar, microscope, hammer



Technical Standards Branch Class A Bridge Inspection Course



# **Non-Destructive Test Methods**

### Hardness Testing

- Anvil is placed on the element and struck. Impact is transmitted to the test bar and the specimen element.
- Steel ball makes an impression in the test bar and the element
- Diameters are measured and read through a microscope to within 0.05 mm



Technical Standards Branch



**Non-Destructive Test Methods** 

Advanced Inspection Techniques

# **Hardness Testing**

x BHN of Test Bar = BHN of Specimen Material Dia of Impression In Metal

- . BHN has a correlation to the tensile strength of steel
- Advantages: equipment is light weight, portable, reasonably accurate and requires no special training



Technical Standards Branch 10



**Advanced Inspection Techniques** 

# **Non-Destructive Test Methods**

# **Eddy Current**

- Similar to MPI, except a defect is detected by disturbances in an electrical field
- Technique involves the use of a coil carrying an alternating current, which produces an eddy current in the part being
- Eddy current creates an impedance in the exiting coil
- Impedance depends on the nature of the part being tested and the exiting coil, magnitude and frequency of the current and the presence of discontinuities in the part
- Change is read from a meter



Technical Standards Branch Class A Bridge Inspection Course

11



# **Non-Destructive Test Methods**

## **Eddy Current**

- Advantages: size and depth of defects can be estimated reasonably and surface conditions such as paint do not affect scanning
- Disadvantages: changes in geometry affect the impedance and recalibration is required
- · Limited use but has potential



Technical Standards Branch Class A Bridge Inspection Course 12



**Advanced Inspection Techniques** 

# **Non-Destructive Test Methods**

### Radiography

- Used to detect macroscopic defects and discontinuities
- Testing is based on the ability of radiation such as gamma rays to penetrate metal and other opaque materials to produce an image on sensitive film
- Gamma rays are produced by the disintegration of radioisotopes or radium of which cobalt or iridium are common sources



Technical Standards Branch Class A Bridge Inspection Course

13



Advanced Inspection Techniques

# **Non-Destructive Test Methods**

### Radiography

- Source is housed in a lead capsule to avoid radiation danger when not in use
- Amount of radiation getting through section being tested depends on section and density
- Defects result in less steel to pass through and more radiation gets on to the film placed behind the section
- Defect size and shape shows up as a dark area on the film



Technical Standards Branch Class A Bridge Inspection Course



Advanced Inspection Techniques

# **Non-Destructive Test Methods**

# Radiography

- Planar defects are only detectable if they are parallel to the source axis due to radiation absorption
- Accuracy is dependent on the section and location of the crack
- Fatigue cracks to 2% of thickness can be detected

Alberta

Technical Standards Branch Class A Bridge Inspection Course

1



**Advanced Inspection Techniques** 

# **Non-Destructive Test Methods**

# Radiography

- Advantages: permanent record and size and shape are determined
- Disadvantages: cannot detect planar defects and depth of cracks, hazardous and government licensing is required



Technical Standards Branch Class A Bridge Inspection Course



# **Non-Destructive Test Methods**

### <u>Ultrasonics</u>

- Uses high frequency sound waves to detect flaws
- Discontinuities act as a reflector for high frequency vibrations
- Sound waves are produced by a wave generator and receiving pulses are displayed on a cathode ray oscilloscope
- Ultrasonic frequency is 2 MHz or approximately 9500 ft/sec.

Alberta

Technical Standards Branch Class A Bridge Inspection Course



**Advanced Inspection Techniques** 

# **Non-Destructive Test Methods**

### Ultrasonics

- Sound waves are transmitted by contact through a crystal and an intervening couplant
- Depth, size and nature of the defects are determined from the return signal on the oscilloscope
- Signal corresponds to elapsed time between transmission and reception



Technical Standards Branch Class A Bridge Inspection Course



Advanced Inspection Techniques

# **Non-Destructive Test Methods**

## <u>Ultrasonics</u>

- Time can be converted to distance because the angle and velocity are known
- Sensitivity is influenced by the sound frequency, design of the unit, instrumentation processing of the return signal on the oscilloscope and operator skill

Alberta

Technical Standards Branch Class A Bridge Inspection Course

1



Advanced Inspection Techniques

# **Non-Destructive Test Methods**

# Ultrasonics

- Advantages: portability, sensitivity, ability to detect locations and depth of defects
- Disadvantages: influenced by operator ability, no permanent record of the display and it can be too sensitive displaying very minor defects



Technical Standards Branch Class A Bridge Inspection Course









