

STEEL - PROPERTIES

Alberta

0

History of Steel

- Cast Iron
 - Cast iron preceded wrought iron.
 - It is brittle, has high carbon content with low tensile strength.
 - It has excellent casting properties.
 - It was mainly used to carry axial compression loads.
- Wrought Iron
 - It replaced cast iron, because of good tensile strength properties.



Alberta

1

History of Steel

Steel

- Steel gradually replaced wrought iron until about 1890.
- Steel available in commercial quantities only in the last 100 years
- The chemistry of steel was not controlled until about 1960
- Strength and elongation were guaranteed but not the chemistry
- This was satisfactory for riveted structures but not for welded details

Alberta

2

History of Steel

Steel

- Welding was first introduced in bridges in about 1936.
- During the World War, US produced a large number of welded cargo vessels.
- Many of these ships broke apart due to brittle fracture of steel adjacent to the welds.
- Welding contributes to brittle fracture because of introduction of severe cooling rates in the steel adjacent to the weld HAZ (Heat Affected Zone).

Alberta

3

History of Steel

Examples of failed Steel Structures

- St. Maurice Bridge Quebec failed in January 1951. It was four years old.
- The Freemont Bridge in Portland had a failure in truss joint in 1971.
- St. Paul, Minnesota girder in the Lafayette Street Bridge failed 1975.
- Laval Que.– Concordia Overpass 2006 – 5 people died.
- 447' (136m) Fern Hollow bridge in Pittsburg collapsed & fell 100' 2022

https://www.youtube.com/watch?v=5_tesnnihRk&ab_channel=USATODAY



Alberta

4

4

Iron

- Iron in the pure form is a soft, shiny metal like aluminum.
- However, it is never found in this state.
- Iron oxidizes extremely easily.
- In nature it is always found as an oxide.

5

Alberta

5

What is Steel?

Alloy

- Metal prepared by adding other metals or non-metals to secure desirable properties.

Steel

- It is an alloy of iron, carbon, and other trace elements.

6

Alberta

6

Steel Making Process

- Iron ore, coke, and limestone are major raw materials.
- Coke is obtained by distilling coal.
- Raw material is charged into a Blast furnace which has a temperature of 1600°C
- Iron melts at the bottom.
- Solidified iron is called "Pig Iron"

7

Alberta


7

Steel Making Process

- Molten metal from Blast furnace is taken into Basic Oxygen furnace
- Chemical analysis of the molten material is done
- Steel semis, billets are heated to 1200°C for rolling and finished products.



Alberta




Alberta

8

8

9

9



Alberta

Effects of Carbon

- Increased carbon in steel:
- Increases strength
 - Increases hardness
 - Increases hardenability
 - Reduces ductility
 - Reduces toughness
 - Reduces machinability



Alberta

10

10

11

11

Effects of Carbon


% Carbon	Yield Strength (ksi)	% Elongation	Comments
4.0			Grey cast iron
2.5			White cast
1.1 to 1.7	90 – 100	0	Very high carbon steel
0.9 to 1.1	110 – 118	0	High carbon steel
0.7 to 0.9	94 – 118	8 – 14	Spring steel
0.55 to 0.7	75 – 94	14 – 19	Higher carbon steel
0.3 to 0.55	65 – 75	19 – 24	Medium carbon steel, weldable with care
0.15 to 0.3	48 – 65	24 – 28	Mild steel for bridges
0.05 to 0.15	40 – 48	28 – 34	Very mild steel, pure iron

12

Alberta

12

Effects of Carbon



13

Alberta

13

Effects of Other Alloying Elements

1. Sulphur

- Higher sulphur causes porosity and hot cracking in welding
- Can cause brittleness in hot metal
- Increases hardenability
- It is not desirable and is kept as low as possible
- Its ill effects are reduced by adding other alloying elements such as manganese.

14

Alberta

14

Effects of Other Alloying Elements

2. Phosphorus

- Like sulphur it is not desirable and is kept as low as possible
- It increases strength and hardenability.
- It reduces ductility and weldability.

3. Manganese

- It is added to counteract the ill effects of sulphur
- Increases strength, hardenability and notch toughness
- It reduces weldability

15

Alberta

15

Effects of Other Alloying Elements

4. Silicon

- It is used as de-oxidizer in steel making and produces fine-grained steel.
- 0.15 to 0.50 range is desirable and is known as "killed steel".
- It increases strength and hardenability.

16

Alberta

16

Effects of Other Alloying Elements

5. Aluminum

6. Chromium

7. Copper

8. Columbium

9. Molybdenum

10. Nickel

11. Tungsten

12. Vanadium

17

Alberta

17

Basic Metallurgy

Grains

- The crystals of metals are referred to as grains.
- The smallest grain of metal contains a large number of atoms.

Space-lattice

- All grains are composed of atoms bound together in a definite pattern or structure. This atomic structure is called space-lattice.

18

Alberta

18

Basic Metallurgy

Structure of a Metal

The characteristics of the structure of a metal are due to:

- The atoms making up the metal.
- The manner in which the atoms are arranged.

Space-lattice Types

There are 14 possible space lattice types.

- The body centered cubic (BCC) has 9 atoms.
- The face centered cubic (FCC) has 14 atoms.

19

Alberta

19

Space-Lattice Types




20

Alberta

20

Grain Size




21

Alberta

21

Cooling Molten Iron




22

Alberta

22

Temp. Effect on Yield Stress



23

Alberta

23

Definitions

Annealing

- Heating and holding at a suitable temperature and then cooling at a suitable rate, for such purposes as reducing hardness, improving machinability, facilitating cold working, producing a desired microstructure, or obtaining desired mechanical, physical, or other properties.

Hardenability

- Steel property which describes the depth to which the steel may be hardened during quenching.

24

Alberta

24

Definitions

Hardness

- A measure of a material's resistance to localized plastic deformation.

Heat Treatment

- The way to produce particular microstructures and properties in steel by heating and cooling.

Killed Steel

- Steel deoxidized with a strong deoxidizing agent, such as silicon or aluminum, to reduce the oxygen content to such a level that no reaction occurs between carbon and oxygen during solidification.

25

Alberta

25

Definitions

Normalizing

- In this process, the steel is heated to about 100 F above the transformation range, held there only briefly and then cooled in still air. This process refines the grain.

Quenching

- In heat treatment, the step of cooling metals rapidly in order to obtain desired properties.

26

Alberta

26

Definitions

Stress Relieving

- Heating to a suitable temperature, holding long enough to reduce residual stresses and then cooling slowly to minimize the development of new residual stresses.

Tempering

- It is the process at which hardened steel is reheated at some point below the transformation range and cooled in air or water.

27

Alberta

27

Definitions

Toughness

- An indication of steel's capacity to carry load and absorb energy, particularly in the presence of a notch or a crack.

Transformation Temperature

- The temperature at which a metal when cooled changes from one type of structure to another.

28

Alberta

28

Physical Properties

- Strength
 - Compression
 - Tension
 - Fatigue
- Ductility
- Weldability
- Fire Resistant
- Corrosion Resistant
- Notch toughness
- Machinability
- Formability

29

Alberta

29

Tensile Stress – Strain Curves

Elastic Range

Stress is proportional to strain. In this range there is no permanent deformation.

Plastic Range

In this strain increases without the appreciable increase of stress.

Strain Hardening Range

In this strain increase is accompanied with increase in stress.

Proof Stress


Stress required to cause a specified small, permanent extension.

30

Alberta

30

Tensile Stress – Strain Curves



31

Alberta

31

Charpy Test

Charpy Test

Charpy test is used to determine metal toughness i.e., impact strength

Impact Energy

It is the work done to fracture the specimen as measured by the Charpy test.


Impact energy = Elastic strain energy + Plastic work during yielding + Work done to create fracture.

32

Alberta

32


Charpy Test



33

Alberta

33




34

Alberta

34

Charpy test Specimen



35

Alberta

35

Charpy Test



36

Alberta

36

Charpy Test



37

Alberta

37

Charpy Test



38

Alberta

38

Factors Affecting Fracture Behavior

- Impact load
- Sub zero temperature range
- Notch

39

Alberta

39

Common Steel Shapes

- Wires
- Cables
- Steel Plates
- Steel Bars
- Rolled Beams
- Built-up Shapes

40

Alberta

40

Types of Steel

Steel Designation	Yield Strength (ksi)	Comments
OH Steel	26	Used until about 1905
EIC Steel	30	Used until about 1935
A7	33	Used until about 1960
A36	36	1960 to Present, (First steel with guaranteed chemistry)
G40.8 (A35)	40	Normalized and used by Alberta up-to 1968
G40.12 (A572)	44	Normalized and used by Alberta up-to 1968
A441	50	Normalized and used by Alberta up-to 1968

41

Alberta

41

Current CSA C40.21 Steels

Type	Nominal yield strength, MPa							
	260	300	350	380	400	480	550	700
	Grade							
W	260W	300W	350W	380W*	400W	480W	550W	-
WT	260WT	300WT	350WT	380WT*	400WT	480WT	550WT	-
R	-	-	350R	-	-	-	-	-
A	-	-	350A	-	400A	480A	550A	-
AT	-	-	350AT	-	400AT	480AT	550AT	-
Q	-	-	-	-	-	-	-	700Q
QT	-	-	-	-	-	-	-	700QT

42

Alberta

42

CSA Charpy Impact Requirements

Standard Charpy impact test temperature for specified category

Category	Standard test temperature °C
1	0
2	-20
3	-30
4	-45
5	To be specified by purchaser

43

Alberta

43

CSA Charpy Impact Requirements

Standard Charpy impact energy for specified grade

Grade	Absorbed Energy (Joules)
260WT	20
300WT	20
350WT	27
400WT	27
480WT	27
350AT	27
400AT	27
480AT	27
700QT	34

44

Alberta

44

What are the three most important properties for plate steel?

- Strength?
- Cost?
- Corrosion Resistant?
- Notch toughness?
- Machinability?
- Formability?
- Weldability?

45

Alberta

45

Strength

Yes, for structural applications strength is a very important property, a bridge member must support a given load without yielding.

46

Alberta

46

Cost

No, cost is always an issue with design and material selection. In this case cost will need to be considered but is only the fourth choice as there are other properties that are more critical.

47

Alberta

47



Corrosion Resistant

No, it's very important but can be dealt with by painting. Also, the component can generally be checked visually for signs of corrosion and repairs made where appropriate.

48

Alberta

48



Notch Toughness

Yes, toughness is one of the top three properties to consider because we must guarantee structural components against sudden catastrophic failure.

49

Alberta

49



Machinability

No, This is not a very important property in this case because the steel is rolled to plate, flame cut and dressed to final size then welded together.

50

Alberta

50



Formability

No, It is important that the steel can be rolled into plates however little subsequent forming is required meaning that extremely good formability is not required.

51

Alberta

51



Weldability

Yes, this is an extremely important property as items like ships, oil rigs and bridge girders are constructed from a number of steel plates that are welded together to form the final product.

52

Alberta

52

Questions?



Alberta

53