ALBERTA TRANSPORTATION AND ECONOMIC CORRIDORS GRMP GRANDE PRAIRIE REGION -(GRANDE PRAIRIE NORTH) **INSTRUMENTATION MONITORING - SPRING 2024**



| Site Number | Location | Name | Hwy | km |
|-------------------|----------------------|-------------------------|--------|---------|
| GP031 | HWY 740:02 km 49.332 | Shaftesbury Trail South | 740:02 | Km 49.3 |
| Legal Description | 1: 4-9-82-23 W5 | UTM Co-ordinates | | |
| | | 11U E 466039 | N 62 | 16272 |

| Current Monitoring: | 18-May-2024 | Previous Monitoring | 14-Jun-2023 |
|----------------------------|---------------------|----------------------------------------|-------------|
| Instruments Read By: | Mr. Niraj Regmi, G. | I.T and Mr. Nixson Mationg, of Thurber | Ī |

| | Instruments Read | d During This Site Visit | |
|----------------------------|-------------------|--------------------------|-------------------|
| Slope Inclinometers (SIs): | Pneumatic | Vibration Wire | Standpipe |
| SI18-P10, SI18-P30, | Piezometers (PN): | Piezometers (VW): | Piezometers (SP): |
| SI18-P50 and SI18-P70 | N/A | N/A | N/A |
| Load Cell (LC): | Strain Gauges: | SAAs: | Others: |
| N/A | N/A | N/A | |

| | Readout | Equipment Used | |
|--------------------------------------------------------------------------------------------------------------------|---------------------------|--------------------------------|---------------------------|
| Slope Inclinometers: RST Digital Inclinometer probe with a 2 ft. wheelbase and a RST Pocket PC readout | Pneumatic Piezometers: | Vibration Wire Piezometers: | Standpipe Piezometers: |
| Load Cell: | Strain Gauges: | SAAs: | Others: |
| Notes: | | • | • |

| | Discussion |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Zones of New Movement: | None SI18-P10 showed a no discernible movement over the length of the pile and over the combined length of the pile and waler since the spring of 2023 readings. The apparent movement measured into the slope for this instrument could be attributed to fluctuations due to the limit of accuracy of the SI probe.SI18-P10 has shown a cumulative pile head movement of 1.5 mm to date. |
| Interpretation of Monitoring Results: | SI18 P30 showed a rate of movement of 1.0 mm/yr over the length of the pile and a rate of movement of 2.1 mm/yr over the combined length of the pile and waler since the spring of 2023 readings. SI18 P30 has shown a cumulative pile head movement of 3.1 mm to date. |
| results. | SI18-P50 showed no discernible movement over the length of the pile and a rate of movement of 0.4 mm/yr over the combined length of the pile and waler since the spring of 2023 readings. SI18-P50 has shown a total cumulative pile head movement of 3.0 mm to date. |
| | SI18 P70 showed a rate of movement of 1.2 mm/yr over the length of the pile and a rate of movement of 1.1 mm/yr over the combined length of the pile and waler since the spring of 2023 readings. SI18 P70 has shown a total cumulative pile head movement of 6.6 mm to date. |

| | Overall, the SI readings show that the remediation measures have been effective in mitigating the landslide at this site. There are no piezometers currently active at the site. Historical piezometers readings (prior to construction) are summarized in Table PH031-2 below. | | | | | |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|
| Future Work: | The instruments should be read again during the spring of 2025. | | | | | |
| Instrumentation Repairs: | No instrument repairs are required at this time. | | | | | |
| Additional Comments: | | | | | | |
| | | | | | | |
| Attachments: | Table GP031-1 Spring 2024 – HWY 740:02 Shaftesbury Slide, Slope Inclinometer Instrumentation Reading Summary Table GP031-2 Spring 2024 – HWY 740:02 Shaftesbury Slide, Standpipe Piezometer Instrumentation Reading Summary Statement of Limitations and Conditions APPENDIX A – GP031-1 SPRING 2024 Field Inspector's report Site Plan Showing Approximate Instrument Locations (Drawing No. 32123-GP031) SI Reading Plots | | | | | |

We trust this report meets your requirements at present. If you have any questions, please contact the undersigned at your convenience.

Yours very truly, Thurber Engineering Ltd. Roger Skirrow, M.Sc., P. Eng. Senior Geotechnical Engineer

Lucas Green, P.Eng. Geotechnical Engineer



Table Gp031-1 Spring 2024 – Hwy 740:02 Shaftesbury Slide Slope Inclinometer Instrumentation Reading Summary

Date Monitored: May 18, 2024

| Date Monitored. N | nay 10, 2024 | | | | | | | |
|-------------------|---------------------|----------------------------------------------------------------------------------|----------------------------------------|-------------------|-----------------------------------|-----------------------------------------------------------------|-------------------------------------------|-----------------------------------------------------------------------------|
| INSTRUMENT # | DATE INITIALIZED | TOTAL CUMULATIVE RESULTANT MOVEMENT AT NOTED DEPTH SINCE INITIAL READING (mm) | MAXIMUM RATE OF MOVEMENT (mm/yr) | CURRENT STATUS | DATE OF PREVIOUS READING | INCREMENTAL MOVEMENT SINCE PREVIOUS READING (mm) | CURRENT RATE OF MOVEMENT (mm/yr) | CHANGE IN RATE OF MOVEMENT SINCE PREVIOUS READING (mm/yr) |
| SI18-P10 | September | 1.5 mm over 1.8 m to 18.2 m depth in 25° direction | 4.0 mm/yr in October 2020 | Operational | June 14, | No discernible movement | N/A | -2.9 |
| 3110-110 | 27, 2019 | 1.5 mm over 0 m to 18.2 m depth in 25° direction 4.8 mm/yr in July 2021 | | Operational | 2023 | No discernible movement | N/A | -2.4 |
| SI18-P30 | September | 4.0 mm over 1.7 m to 18.2 m depth in 10° direction | 4.9 mm/yr in October 2020 | Operational | June 14, | 0.9 | 1.0 | 1.3 |
| 3110-7-30 | 27, 2019 | 4.3 mm over 0 m to 18.2 m depth in 10° direction | 5.7 mm/yr in October 2020 | Operational | 2023 | 2.0 | 2.1 | 2.5 |
| SI18-P50 | September | 2.6 mm over 1.7 m to 18.2 m depth in 321° direction | 4.3 mm/yr in October 2020 | Operational | June 14, | No discernible movement | N/A | -0.7 |
| 3110-7-30 | 27, 2019 | 3.1 mm over 0 m to 18.2 m depth in 321° direction | 4.7 mm/y in October 2020 | Operational | 2023 | 0.4 | 0.4 | 0.1 |
| SI18-P70 | September | 6.6 mm over 1.6 m to 18.0 m depth in 356° direction | 4.7 mm/yr in October 2020 | Operational | June 14, | 1.1 | 1.2 | 0.4 |
| 3110-170 | 27, 2019 | 10.4 mm over 0 m to 18.0 m depth in 356° direction | 3.8 mm/yr in July 2021 | Operational | 2023 | 1.0 | 1.1 | -0.3 |

Drawing 32123-PH031 in Appendix A provides a sketch of the approximate locations of the monitoring instrumentation for this site.



Table Gp031-2 Spring 2024 – Hwy 740:02 Shaftesbury Slide Standpipe Piezometer Instrumentation Reading Summary

Date Monitored: Not Monitored

| INSTRUMENT # | DATE INITIALIZED | TIP DEPTH (m) | CURRENT STATUS | MAXIMUM MEASURED WATER LEVEL BGS (m) | MEASURED WATER LEVEL BGS (m) | PREVIOUS READING BGS (m) | CHANGE IN WATER LEVEL SINCE PREVIOUS READING (m) |
|--------------|---------------------|---------------------|-------------------|--------------------------------------------------|---------------------------------------|-----------------------------------|--------------------------------------------------|
| SP17-3 | June 2, 2017 | 15.5 | Destroyed | DRY | N/A | DRY (Sep. 27, 2019) | N/A |
| SP17-4 | June 10, 2017 | 16.2 | Destroyed | DRY | N/A | DRY (Sep. 28, 2017) | N/A |
| SP17-5 | June 3, 2017 | 15.7 | Destroyed | 6.8 (Sep. 28, 2017) | N/A | 6.8 (Sep. 28, 2017) | N/A |
| SP17-6 | June 4, 2017 | 14.7 | Destroyed | 0.6 (June 11, 2017) | N/A | 1.8 (Sep. 27, 2017) | N/A |

Drawing 32123-PH031 in Appendix A provides a sketch of the approximate locations of the monitoring instrumentation for this site.

.



STATEMENT OF LIMITATIONS AND CONDITIONS

1. STANDARD OF CARE

This Report has been prepared in accordance with generally accepted engineering or environmental consulting practices in the applicable jurisdiction. No other warranty, expressed or implied, is intended or made.

2. COMPLETE REPORT

All documents, records, data and files, whether electronic or otherwise, generated as part of this assignment are a part of the Report, which is of a summary nature and is not intended to stand alone without reference to the instructions given to Thurber by the Client, communications between Thurber and the Client, and any other reports, proposals or documents prepared by Thurber for the Client relative to the specific site described herein, all of which together constitute the Report.

IN ORDER TO PROPERLY UNDERSTAND THE SUGGESTIONS, RECOMMENDATIONS AND OPINIONS EXPRESSED HEREIN, REFERENCE MUST BE MADE TO THE WHOLE OF THE REPORT. THURBER IS NOT RESPONSIBLE FOR USE BY ANY PARTY OF PORTIONS OF THE REPORT WITHOUT REFERENCE TO THE WHOLE REPORT.

3. BASIS OF REPORT

The Report has been prepared for the specific site, development, design objectives and purposes that were described to Thurber by the Client. The applicability and reliability of any of the findings, recommendations, suggestions, or opinions expressed in the Report, subject to the limitations provided herein, are only valid to the extent that the Report expressly addresses proposed development, design objectives and purposes, and then only to the extent that there has been no material alteration to or variation from any of the said descriptions provided to Thurber, unless Thurber is specifically requested by the Client to review and revise the Report in light of such alteration or variation.

4. USE OF THE REPORT

The information and opinions expressed in the Report, or any document forming part of the Report, are for the sole benefit of the Client. NO OTHER PARTY MAY USE OR RELY UPON THE REPORT OR ANY PORTION THEREOF WITHOUT THURBER'S WRITTEN CONSENT AND SUCH USE SHALL BE ON SUCH TERMS AND CONDITIONS AS THURBER MAY EXPRESSLY APPROVE. Ownership in and copyright for the contents of the Report belong to Thurber. Any use which a third party makes of the Report, is the sole responsibility of such third party. Thurber accepts no responsibility whatsoever for damages suffered by any third party resulting from use of the Report without Thurber's express written permission.

5. INTERPRETATION OF THE REPORT

- a) Nature and Exactness of Soil and Contaminant Description: Classification and identification of soils, rocks, geological units, contaminant materials and quantities have been based on investigations performed in accordance with the standards set out in Paragraph 1. Classification and identification of these factors are judgmental in nature. Comprehensive sampling and testing programs implemented with the appropriate equipment by experienced personnel may fail to locate some conditions. All investigations utilizing the standards of Paragraph 1 will involve an inherent risk that some conditions will not be detected and all documents or records summarizing such investigations will be based on assumptions of what exists between the actual points sampled. Actual conditions may vary significantly between the points investigated and the Client and all other persons making use of such documents or records with our express written consent should be aware of this risk and the Report is delivered subject to the express condition that such risk is accepted by the Client and such other persons. Some conditions are subject to change over time and those making use of the Report should be aware of this possibility and understand that the Report only presents the conditions at the sampled points at the time of sampling. If special concerns exist, or the Client has special considerations or requirements, the Client should disclose them so that additional or special investigations may be undertaken which would not otherwise be within the scope of investigations made for the purposes of the Report.
- b) Reliance on Provided Information: The evaluation and conclusions contained in the Report have been prepared on the basis of conditions in evidence at the time of site inspections and on the basis of information provided to Thurber. Thurber has relied in good faith upon representations, information and instructions provided by the Client and others concerning the site. Accordingly, Thurber does not accept responsibility for any deficiency, misstatement or inaccuracy contained in the Report as a result of misstatements, omissions, misrepresentations, or fraudulent acts of the Client or other persons providing information relied on by Thurber. Thurber is entitled to rely on such representations, information and instructions and is not required to carry out investigations to determine the truth or accuracy of such representations, information and instructions.
- c) Design Services: The Report may form part of design and construction documents for information purposes even though it may have been issued prior to final design being completed. Thurber should be retained to review final design, project plans and related documents prior to construction to confirm that they are consistent with the intent of the Report. Any differences that may exist between the Report's recommendations and the final design detailed in the contract documents should be reported to Thurber immediately so that Thurber can address potential conflicts.
- d) Construction Services: During construction Thurber should be retained to provide field reviews. Field reviews consist of performing sufficient and timely observations of encountered conditions in order to confirm and document that the site conditions do not materially differ from those interpreted conditions considered in the preparation of the report. Adequate field reviews are necessary for Thurber to provide letters of assurance, in accordance with the requirements of many regulatory authorities.

6. RELEASE OF POLLUTANTS OR HAZARDOUS SUBSTANCES

Geotechnical engineering and environmental consulting projects often have the potential to encounter pollutants or hazardous substances and the potential to cause the escape, release or dispersal of those substances. Thurber shall have no liability to the Client under any circumstances, for the escape, release or dispersal of pollutants or hazardous substances, unless such pollutants or hazardous substances have been specifically and accurately identified to Thurber by the Client prior to the commencement of Thurber's professional services.

7. INDEPENDENT JUDGEMENTS OF CLIENT

The information, interpretations and conclusions in the Report are based on Thurber's interpretation of conditions revealed through limited investigation conducted within a defined scope of services. Thurber does not accept responsibility for independent conclusions, interpretations, interpretations and/or decisions of the Client, or others who may come into possession of the Report, or any part thereof, which may be based on information contained in the Report. This restriction of liability includes but is not limited to decisions made to develop, purchase or sell land.



ALBERTA TRANSPORTATION AND ECONOMIC CORRIDORS PEACE REGION (GRANDE PRAIRIE) INSTRUMENTATION MONITORING RESULTS

SPRING 2024

APPENDIX A DATA PRESENTATION

SITE GP031: HWY 740:02, SHAFTESBURY SLIDE

ALBERTA TRANSPORTATION AND ECONOMIC CORRIDORS PEACE REGION (GRANDE PRAIRIE - NORTH DISTRICT) INSTRUMENTATION MONITORING FIELD SUMMARY (GP031) SPRING 2024

Location: Shaftesbury Trail South (Hwy 740:02 C1 49.332)

Readout:

File Number: 32123

Casing dia 2.75

Probe: RST Set 8R

Temp:

Cable: RST Set 8R


Read by: NKR/NRM


SLOPE INCLINOMETER (SI) READINGS

| SI# | GPS I | Location | Date | Stickup | Depth from top | Azimuth of | Current Bottom | | Probe/ | | Remarks | | |
|----------|-------------|--------------|-----------|---------|----------------|------------|----------------|----------------|--------|------|---------|------|--|
| | (UT | M 11) | | (m) | of casing (ft) | A+ Groove | | Depth Readings | | Reel | Size | | |
| | Easting (m) | Northing (m) | | | | | A+ | A- | B+ | B- | # | (") | |
| SI18-P10 | 466039 | 6216272 | 18-May-24 | 0.90 | 62 to 2 | 29 | 352 | -338 | -243 | 204 | 8R | 2.75 | |
| SI18-P30 | 466058 | 6216275 | 18-May-24 | 1.02 | 62 to 2 | 354 | 99 | -87 | -16 | -3 | 8R | 2.75 | |
| SI18-P50 | 466077 | 6216277 | 18-May-24 | 1.02 | 62 to 2 | 335 | 30 | -27 | 490 | -503 | 8R | 2.75 | |
| SI18-P70 | 466092 | 6216279 | 18-May-24 | 1.16 | 62 to 2 | 25 | 45 | -33 | 440 | -452 | 8R | 2.75 | |

INSPECTOR REPORT


| INSTECTOR REPORT |
|------------------|
| |
| |
| |
| |






Hwy 740:02 Shaftesbury Trail, Inclinometer SI18-P10

Alberta Transportation




Hwy 740:02 Shaftesbury Trail, Inclinometer SI18-P10

Alberta Transportation




Hwy 740:02 Shaftesbury Trail, Inclinometer SI18-P10

Alberta Transportation




Hwy 740:02 Shaftesbury Trail, Inclinometer SI18-P10




Hwy 740:02 Shaftesbury Trail, Inclinometer SI18-P30

Alberta Transportation




Hwy 740:02 Shaftesbury Trail, Inclinometer SI18-P30

Alberta Transportation




Hwy 740:02 Shaftesbury Trail, Inclinometer SI18-P30




Hwy 740:02 Shaftesbury Trail, Inclinometer SI18-P50

Alberta Transportation




Hwy 740:02 Shaftesbury Trail, Inclinometer SI18-P50

Alberta Transportation




Hwy 740:02 Shaftesbury Trail, Inclinometer SI18-P50

Alberta Transportation




Hwy 740:02 Shaftesbury Trail, Inclinometer SI18-P50




Hwy 740:02 Shaftesbury Trail, Inclinometer SI18-P70

Alberta Transportation




Hwy 740:02 Shaftesbury Trail, Inclinometer SI18-P70

Alberta Transportation



Hwy 740:02 Shaftesbury Trail, Inclinometer SI18-P70

Alberta Transportation



Hwy 740:02 Shaftesbury Trail, Inclinometer SI18-P70